



Xerox® VersaLink® B400 Printer and Xerox® VersaLink® B405 Multifunction Printer

Redefining office productivity.



Xerox® VersaLink® B400 Printer and Xerox® VersaLink® B405 Multifunction Printer

Whether stand-alone or as a part of your extended fleet, the Xerox® VersaLink B400 Printer and VersaLink B405 Multifunction Printer take your team to new levels of productivity. Work the way you want—from any device—with maximum security and easy connectivity to and from both cloud and network-based locations.

Easy, optimized productivity.

Right out of the box, you'll count on your Xerox® VersaLink® B400 Printer or VersaLink B405 Multifunction Printer to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

And count on day in, day out reliability thanks to our trusted paper path technology.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR)¹.

Print with total peace of mind knowing that VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

An entirely new way to work.

With the customizable 5-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox® App Gallery provides expanded functionality—like the Xerox® Easy Translator Service app¹, which quickly translates scanned documents into numerous languages.

Speed through tasks by saving common settings as presets for simple, single-touch job setup. With Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure, easy access to task-specific presets and commonly used apps on a personalized home screen.

Upward mobility for every work style.

The VersaLink B400 Printer and VersaLink B405 Multifunction Printer give you the freedom to work where and how you want—with direct connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox® App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with optional Wi-Fi and Wi-Fi Direct, plus Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

To learn more about VersaLink device features, go to www.xerox.com/VersalinkEG

¹ VersaLink B405 only

Xerox® VersaLink® B400 Quick Facts


- Print up to 47 ppm Letter / 45 ppm A4
- NFC Tap-to-Pair and optional Wi-Fi and Wi-Fi Direct
- Standard 700-sheet paper capacity / Maximum 2,350 sheets
- 150-sheet Bypass Tray
- Up to 1200 x 1200 dpi (enhanced)

WxDxH:

18.1 x 16.8 x 13.3 in. /
459 x 426 x 339 mm

Weight:

30 lb / 14 kg



Xerox® VersaLink® B405 Quick Facts

- Print up to 47 ppm Letter / 45 ppm A4
- 60-sheet Reversing Automatic Document Feeder (RADF)
- NFC Tap-to-Pair and optional Wi-Fi and Wi-Fi Direct
- Standard 700-sheet paper capacity / Maximum 2,350 sheets
- 150-sheet Bypass Tray
- Up to 1200 x 1200 dpi (enhanced)

WxDxH:

19.5 x 19.5 x 21.7 in. / 495 x 495 x 551 mm

Weight:

48 lb / 22 kg



Choose the configuration that meets your needs:

- 1 A 60-sheet Reversing Automatic Document Feeder (RADF) scans two-sided originals for copy, scan and fax jobs.
- 2 Card Reader Bay with embedded USB port.²
- 3 An easily accessible USB port² allows users to quickly print from or scan to³ any standard USB memory device.
- 4 250-sheet output tray with tray-full sensor.
- 5 150-sheet Bypass Tray handles media sizes from 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm.
- 6 With the 550-sheet paper tray, standard paper capacity totals 700 sheets (including Bypass Tray).
- 7 Up to three optional 550-sheet paper trays increase total paper capacity to 2,350 sheets.
- 8 Optional stand provides storage for toner cartridges, paper and other supplies.

² USB ports can be disabled; ³ VersaLink B405 only.



Xerox® VersaLink® B400 Printer
Print.

Xerox® VersaLink® B405 Multifunction Printer
Print. Copy. Scan. Fax. Email.

Introducing touch screen superiority.

Meet our tiltable, 5-inch capacitive color touch screen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar “mobile” experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink B400 Printer or VersaLink B405 Multifunction Printer get more work done, faster.



Xerox® VersaLink® B400 Printer and Xerox® VersaLink® B405 Multifunction Printer

Device Specifications	VersaLink B400N	VersaLink B400DN	VersaLink B405DN
Speed	Up to 47 ppm letter / Up to 45 ppm A4		
Duty Cycle ¹	Up to 110,000 pages / month ¹		
Processor / Memory	1.05 GHz Dual Core / 2 GB		
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair		
Controller Features	Unified Address Book (B405), Configuration Cloning, Scan Preview (B405), Xerox Extensible Interface Platform®, Xerox® App Gallery, Xerox® Standard Accounting, Online Support (accessed from the user interface and print driver)		
Paper Handling Paper Input	Standard	NA	Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)
	Optional	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm	
		Tray 1: Up to 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm	
	3 Additional Trays: Up to 550 sheets each; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm		
Total Capacity (std. / max.)	700 sheets / 2,350 sheets		
Paper Output	250 sheets		
Automatic Two-sided Output	NA	Standard	
Copy and Print			Print: Up to 1200 x 1200 dpi (enhanced) Copy: Up to 600 x 600 dpi
Resolution	Print: Up to 1200 x 1200 dpi (enhanced)		Print: Up to 1200 x 1200 dpi (enhanced) Copy: Up to 600 x 600 dpi
First-page-out Time (as fast as)	Print: As fast as 8 seconds		Print: As fast as 8 seconds Copy: As fast as 6 seconds
Page Description Languages	PCL® 5e / PCL 6 / PDF / XPS / TIFF / JPEG / HP-GL / Adobe® PostScript® 3™		
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode		
Mobile Printing	Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Mopria® Print Service Plug-in for Android™ Visit www.xerox.com/officemobileapps for a list of downloadable apps available for smartphones and mobile devices.		
Printer/MFP Cloud Connectors ² Cloud Services	Optional	@PrintByXerox ³ , Wi-Fi Direct Printing ³ , Xerox® Mobile Print Solution ³ , Xerox® Mobile Print Cloud ³ , Xerox® Mobile Link App (B405) ²	
		Print from/Scan to ⁴ Google Drive, One Drive, DropBox, Microsoft 365, Box, DocuShare	
		NA	Xerox® Easy Translator Service, Xerox® Healthcare MFP
	Additional printer/MFP apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of apps.		
Scan	Scan Destinations	Scan to USB, Scan to Email, Scan to Network (FTP or Browse SMB)	
	Scan Features	File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF / Password Protected PDF, Linearized PDF / PDF/A	
Fax	Fax Features ⁵	Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing via Unified Address Book (up to 2,000 contacts)	
Security	Standard	Firmware Verification, Security Certificates, Automatic Self-Signed Certificate Creation, Certificate Path Validation, Certificate Revocation Settings, Smart Card Enablement (CAC/PIV/.NET), FIPS 140-2, SSL/TLS, Port Filtering, IP Address Filtering, Domain Filtering, Cisco® TrustSec Identity Services Engine (ISE) Integration, 256-bit Encryption, Secure Print, Secure Fax (B405), Secure Scan (B405), Secure Email (B405), Network Authentication, SNMPv3, Audit Log, Access Controls, Role Based Permissions, Convenience Authentication	
	Optional	Xerox® PrintSafe Software	
Accounting	Standard	Xerox® Standard Accounting (Print), Network Accounting Enablement	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement
	Optional	Equitrac Express®, Equitrac Office®, YSoft® SafeQ®, other network accounting solutions available through various Xerox Business Innovation Partners	

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Free option (download from Xerox® App Gallery to your printer/MFP); ³ Purchasable option; ⁴ Scan to available for B405 only; ⁵ Analog phone line required.

Device Management

Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple® Bonjour®

Print Drivers

Windows® 7, 8, 10 Server 2000, Server 2003, Server 2008, Server 2008 R2 Server 2012, Mac OS® version 10.9 and higher, Citrix, Redhat® Enterprise, Linux®, IBM® AIX® 5, HP-UX® 11iv2, Oracle® Solaris 9, 10, Fedora Core 12-15, SUSE®, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Font Capability

87 PostScript Fonts; 88 PCL Fonts

Media Handling

Duplex Automatic Document Feeder: Simplex: 13 to 32 lb. bond / 50 to 125 gsm; Duplex: 16 to 32 lb. bond / 60 to 125 gsm; Bypass Tray: 16 lb. bond to 80 lb. cover / 60 to 220 gsm; Tray 1: 16 lb. bond to 80 lb. cover / 60 to 220 gsm; 3 Additional Trays (Optional): 16 lb. bond to 80 lb. cover / 60 to 220 gsm

Configurations vary by geography.

Operating Environment

Temperature: 50° to 90° F / 10° to 32° C; Humidity: 10% to 85%; Sound Power: Printing: 7.5 B(A); Standby: 5.3 B(A); Sound Pressure: Printing: 56 dB(A), Standby: 30 dB(A); Boot Time (from Off to UI Ready): as fast as 60 seconds, Warm-up Time (from Sleep to UI Ready): as fast as 5 seconds

Electrical

Power: 110–127 VAC, 50/60 Hz, 11A or 220–240 VAC, 50/60 Hz, 6A; B400: Continuous Printing: 565 watts; Ready (Standby): 46 watts; Energy Saver Mode (Sleep): 4 watts or less; B405: Continuous Printing: 620 watts; Ready (Standby): 60 watts; Energy Saver Mode (Sleep): 4 watts or less

Dimensions (W x D x H)

B400: 18.1 x 16.8 x 13.3 in. / 459 x 426 x 339 mm, Weight: 30 lb. / 14 kg; B405: 19.5 x 19.5 x 21.7 in. / 495 x 495 x 551 mm, Weight: 48 lb. / 22 kg

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications

Supplies

Standard Capacity Toner Cartridge: 5,900 pages¹ 106R03580
High Capacity Toner Cartridge: 13,900 pages¹ 106R03582
Extra High Capacity Toner Cartridge: 24,600 pages¹ 106R03584
Drum Cartridge: 65,000 pages² 101R00554

Options

550-sheet Feeder (B400) 497K13620
550-sheet Feeder (B405) 497K13630
Productivity Kit with 16 GB Solid State Drive Stand 497K13660
Wireless Network Adapter (Wi-Fi Kit) 497K16750
External Card Reader / RFID Kit (B400) 497K18380
Internal Card Reader / RFID Kit (B405) 497K18120

¹ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

² Approximate pages. Declared yield based on an average job size of 3 A4-/letter-size pages. Yield will vary depending on job run length and media size and orientation.

For more detailed specifications, go to www.xerox.com/VersalinkB400Specs or www.xerox.com/VersalinkB405Specs.

For more information, visit us at www.xerox.com/office.

